


## Wholesale Catalog



- ▶ **Training and Certification Products**
- ▶ **Performance Products**
- ▶ **Indoor Air Quality (IAQ) Products**





**New!**

### QwikPad™ for Condensers

**Our new, lightweight, easy-to-install pad for condensers meets wind loading requirements up to 180 MPH!**

Rated for winds up to 180 mph and exceeds Miami-Dade 175 mph wind requirements. Contains a fill medium that is a unique gelling agent... Once water is added, it forms a solidus gel that can't be removed and provides freeze protection. Includes four Stainless Steel Tie-Down Assemblies to secure the outdoor unit for exceptional hurricane protection (304 Stainless Steel, 14 gauge). Tie-Down Assemblies are completely adjustable to properly secure any size and shape of outdoor unit.

QT8036  
QT8040



PRODUCT ID	CASE QTY	Shp. Wt. lbs./Case
<b>QT8036</b> - QwikPad™ (36" x 36" x 4"), with standard stainless steel hardware	20	650
<b>QT8040</b> - QwikPad™ (40" x 40" x 4"), with standard stainless steel hardware	20	785
<b>QT8110</b> - Optional Ground Anchor Kit (pkg of 2)	5	22
<b>QT8111</b> - Optional Concrete Anchor Kit (pkg of 4)	10	10

U.S. Patents #10,408,493, #10,559,742 and other Patents Pending



**Qwik System Flush®**  
Safely and Effectively Flushes Oil, Acid, Moisture and Other Impurities from any Air Conditioning or Refrigeration System.

**Ideal for Unit Change-Outs from R-22 to R-410A or Clean-Up after a System Burnout.**

## The Ultimate in A/C and Refrigerant Line Cleaners!




\*Go to [www.qwik.com/test-results/flush/](http://www.qwik.com/test-results/flush/) for test results!

**Call Now for Your FREE COUNTER DISPLAY!**

**New!** **QwikPad™ for Generators**

U.S. Patent #10,557,589 and other Patents Pending



Rated for 180 mph Hurricane Winds

**Our new, lightweight, easy-to-install generator pad meets wind loading requirements up to 180 MPH!**

Contains a fill medium that is a unique gelling agent... Once water is added, it forms a solidus gel that can't be removed and provides freeze protection. Includes corrosion-resistant stainless steel mounting hardware specific to the mounted generator model.

**Unfilled Weight = 46 lbs / Filled Weight = 330 lbs!!!**

QwikPad™ for Generators Part Number	Description of Generator Model to be mounted	INDIVIDUAL Shp. Wt. Lbs.	CASE/PALLET QTY (15) Shp. Wt. Lbs.
<b>QT8200</b>	<b>Universal Pad</b> (includes hardware for Generac/Honeywell, Briggs & Stratton and Kohler)	76	720
<b>QT8210</b>	For <b>Briggs and Stratton</b> 17/20 kW Steel Enclosure Generators (hardware included)		
<b>QT8220</b>	For <b>Briggs and Stratton</b> 20 kW Aluminum Enclosure Generators (hardware included)		
<b>QT8230</b>	For <b>Generac/Honeywell</b> 9-22 kW Generators (hardware included)		
<b>QT8240</b>	For <b>Kohler</b> 14/20 kW Generators (hardware included)		

Generac® is a registered trademark of Generac Power Systems, Inc., Honeywell® is a registered trademark of Honeywell International, Inc. and is licensed for use by Generac Power Systems, Inc. Briggs and Stratton® is a registered trademark of Briggs and Stratton, Kohler® is a registered trademark of Kohler Co. QwikProducts™ and QwikPad™ are trademarks and Qwik System Flush® and Qwik-SF® are registered trademarks of Mainstream Engineering Corporation. 200 Yellow Place • Rockledge, FL 32955 • 321-631-3550 © 2020 Mainstream Engineering Corporation

MKTG000218\_REV-P / 100011301

## Qwik608® EPA Approved Proctored Type I, II, III, and Universal Exams

**New!**

This EPA approved course & test from Mainstream Engineering Corporation covers Type I, II, III, and Universal certification. Our self-study materials, course and test offer the learning flexibility you deserve, available in English or Spanish.



**Course:**

- Our study course contains a complete reference manual, study guide, exam, download code and access to: *downloadable interactive training software and hours of video and audio study materials.*

**Exams:**

- We offer a paper exam and an online QwikTest™ exam. The original paper exam will be graded within 48 business hours of receipt. *The online QwikTest™ exam is graded instantly!*
- A certification card is always included when you become certified by Mainstream Engineering Corporation®. Choose the solution that meets your needs from the chart below.

PRODUCT ID	P/N	CASE QTY	Shipping Wt. lbs / Case
<b>Qwik608® — English</b> <i>(includes: "Field Reference Manual" and "QwikStudy™ Guide", software download code for EPA Section 608 interactive software, streamable Video, and downloadable or streamable Audio study materials)</i>	QT3009 with <i>online</i> QwikTest	5	2
	QT3000 with <i>paper</i> test	5	11
	QT3100 / without Test	1	2
<b>Qwik608® — Spanish</b> <i>(includes: "Field Reference Manual" and "QwikStudy™ Guide", software download code for EPA Section 608 interactive software, streamable Video, and downloadable or streamable Audio study materials)</i>	QT3007 with <i>online</i> QwikTest	5	2
	QT3004 with <i>paper</i> test	5	12
	QT3110 / Without Test	1	2
<b>Qwik608® — EPA Test Only</b>	QT3008 <i>Online</i> QwikTest Only (bilingual)	5	0 VIA EMAIL
	QT3001 <i>Paper</i> Test Only	5	3
	QT3002 <b>Spanish Paper</b> Test Only	5	4

MKTG000218\_REV-P / 100011301

## QwikLug® Compressor Terminal Repair Kit w/3 Terminal Repair Lugs

Patented QwikLug® easily attaches to damaged or corroded spade connectors, quickly and easily solving the problem of a compressor with pitted or severely corroded spade terminals.

PRODUCT ID	CASE QTY	Shp. Wt. lbs/Case
<b>QT2800</b> - 3 Lugs/Male Spades - No Wire	10	2
<b>QT2810</b> - 10 AWG - 2' leads w/nut	10	6
<b>QT2812</b> - 12 AWG - 2' leads w/nut	10	4
<b>QT2910</b> - 10 AWG - 4' leads w/spades	10	8
<b>QT2912</b> - 12 AWG - 4' leads w/spades	10	6

U.S. Patent #7,232,775



## QwikCheck® Acid Test Kit / 2-Second Refrigerant Acid Test

Detects inorganic acid in 2-seconds down to 1 part per million. Fast, accurate, and easy to use, QwikCheck® provides an early warning of acid problems. The Yellow to Red color change allows you to easily and clearly communicate the need for action to the equipment owner.

PRODUCT ID	CASE QTY	Shp. Wt. lbs/Case
<b>QT2000</b> - Acid Test Kit	25	1



## QwikShot® Refrigerant and Oil Treatment (New & Improved Formulation)

*½oz Bottle that Works with All Refrigerants and Oils*

QwikShot® Refrigerant and Oil Treatment was developed to solve the problem of treating acid without leaving disruptive residues. Neutralization acid treatment must leave a residue of some kind and residues can cause problems. Instead of neutralizing, QwikShot® quickly flushes any harmful acids and moisture into the filter-drier of an operating system.

PRODUCT ID	CASE QTY	Shp. Wt. lbs/Case
<b>QT2501</b> - Single Bottle	25	2

U.S. Patent #9,816,740 and #10,495,362



### IMPROVED FORMULATION

QwikSEER+® is the affordable solution to enhancing A/C or heat pump systems, Typically Saving homeowners 10% or more on annual operating costs! Plus QwikSEER+® can improve the humidity removal rate up to 156%!!!

## QwikSEER+ WattSaver®

*Enhances System Efficiency & Humidity Removal*

PRODUCT ID	CASE QTY	Shp. Wt. lbs/Case
<b>QT6000</b> QwikSEER+WattSaver® Installation Kit (Includes Control Board, Mounting Bracket, Additional Wiring, Mounting Hardware & Installation Instructions)	5	7
<b>QT6001</b> QwikSEER+WattSaver® Accessory Humidity Sensor (Includes Sensor, Mounting Hardware & Installation Instructions)	5	2

U.S. Patent #9,207,001



MKTG000218\_REV-P / 100011301



### QwikSwap® - Universal ECM Blower Motor Replacement

QwikSwap® is the low-cost, robust alternative to expensive unreliable ECM motors. It's impractical to carry all variations of ECM motors on your truck. QwikSwap® is a money saving solution that allows replacement of a failed OEM ECM, X13 or SelectTech® motor with a lower cost, more reliable Permanent Split Capacitor (PSC) motor. There's a QwikSwap® board for every type of ECM motor!

PRODUCT ID	CASE QTY	Shp. Wt. lbs/Case
<b>QwikSwap® X3 - QT6100</b> <b>Universal Constant Torque ECM Blower Motor Replacement</b> (Includes Control Board, Mounting Bracket, Additional Wiring, Mounting Hardware & Installation Instructions)	5	7
<b>QwikSwap® X1 - QT6101</b> <b>Single-Speed, Universal Constant Torque ECM Blower Motor Replacement</b> (Includes Control Board, Built-in Mount & Installation Instructions)	5	7
<b>QwikSwap® V3 - QT6104</b> <b>Universal Variable Air Flow ECM Blower Motor Replacement</b> <i>Replaces: 2.0, 2.3, 2.5, 3.0, as well as Emerson, US Motors and Nidec ECMs</i> (Includes Control Board, Mounting Bracket, Additional Wiring, Mounting Hardware & Installation Instructions)	5	7

U.S. Patent #9,207,001, #9,417,005 and other U.S. Patents Pending



### QwikInjector® Liquid Injector Tested & Approved for R-410A

*Perfect for injecting QwikShot® Refrigerant and Oil Treatment (QT2501)*

Add oil or other liquid additives into a vapor-compression refrigeration or air conditioning system quickly and without interrupting operation of the system. QwikInjector® uses the natural pressure difference developed by the compressor of an operating system to push any liquid additive into a system.

PRODUCT ID	CASE QTY	Shp. Wt. lbs/Case
<b>QT2510</b> - ½ oz capacity Liquid Injector	6	2
<b>QT2520</b> - 2 oz capacity Liquid Injector	6	5
<b>QT2511</b> - 4 oz capacity Liquid Injector	6	5
<b>QT2512</b> - 2 Replacement O Rings for .5 oz Injector	1	1
<b>QT2513</b> - 2 Replacement O Rings for 2 oz and 4 oz Injectors	1	1

### Qwik System Flush® Air Conditioning and Refrigeration System Flush

Formulated for fighter jets, modified for HVAC systems. Qwik System Flush® is 9-10 times more effective in acid removal & moisture absorption than competitive products. Qwik System Flush® is OEM Approved.



PRODUCT ID	CASE QTY	Shp. Wt. lbs/Case
<b>QT1100</b> - 2 lb. Aerosol Can	12	28
<b>QT1130</b> - 1 lb. Aerosol Can	12	16
<b>QT1150 - Startup Kit</b> (Contains: (2) 1 lb. Cans, Access Valve, Charging Hose, Squeeze Nozzle)	4	15

U.S. Patent #9,873,856

## QwikDescaler+®

Quickly dissolves water scale, lime, rust, and other water formed deposits. Restores full efficiency to heat exchangers, heaters, tankless water heaters, and any other appliances where water passages must be kept free of mineral deposits. **Unique color indicating chemistry** lets you know when more solution is required and when cleaning is complete.



PRODUCT ID	CASE QTY	Shp. Wt. lbs/Case
<b>QT7710 - 1 Gallon Concentrated Descaler Solution</b> (1 gal. makes 6 gals.)	4	34
<b>QT7711 - QwikDescaler+® Kit</b> (Contains: 1 qt Concentrated Descaler Solution, mixing tank, circulation pump (500gph), and all necessary hoses to clean tankless water heaters)	1	11
<b>QT7712 - 1 Quart Concentrated Descaler Solution</b> (1 qt. makes 6 qts.)	8	17

## QwikSystem Flush® Can Access Valve

A durable, reusable can access valve designed specifically for use with Qwik System Flush®.



PRODUCT ID	CASE QTY	Shp. Wt. lbs/Case
<b>QT1105 - Can Access Valve</b>	6	2

## QwikSystem Flush® Line Set Flush Tools

Use these handy tools to access piping and line sets with Qwik System Flush® ... Access anywhere there isn't an existing flare fitting!



PRODUCT ID	CASE QTY	Shp. Wt. lbs/Case
<b>QT1106 - QwikNozzle™ Line Set Flush Tool</b>	6	2
<b>QT1110 - Line Set Flush Tool</b>	6	1

## QwikGlowPro® Leak Detector

Our new super-concentrated leak detection product quickly and easily helps to identify leaking refrigerant in operating A/C systems or heat exchangers. Ideal for preventive maintenance, leak detection and proven safe for all systems! Brilliant fluorescing agent, works with all UV lamps (325-400 NM wavelength).



PRODUCT ID	CASE QTY	Shp. Wt. lbs/Case
<b>QT2310- QwikGlowPro® Leak Detection UV Dye</b> (.5 oz. btl.)	6	1

MKTG000218\_REV-P / 100011301



### QwikDetector® Furnace Leak Detector

Provides a clear and immediate indication if the integrity of a heat exchanger has been damaged which could allow hazardous combustion gases to enter into the air supplied to the building. Easy to use, immediate leak detection, non-toxic, non-corrosive and environmentally friendly.

PRODUCT ID	CASE QTY	Shp. Wt. lbs/Case
QT4500 - QwikDetector® Furnace Leak Detector (1 qt. btl.)	8	21



### QwikBright®-FT Outdoor Fin-Tube Coil Cleaner & Brightener *and*

### QwikBright®-MC Microchannel Coil Cleaner & Protectant

Professional quality coil cleaners, brighteners and protectants specially formulated to quickly penetrate and dissolve grease, dirt, grime, oxides, lint, dirt, dust, and bugs. Choose between Fin-Tube or Microchannel solutions.

PRODUCT ID	CASE QTY	Shp. Wt. lbs/Case
QT2780 - QwikBright®-FT Outdoor Fin-Tube Coil Cleaner & Brightener - (1) gal. bottles	4	34
QT2782 - QwikBright®-MC Microchannel Coil Cleaner & Protectant - (1) gal. bottles	4	34



### QwikSeal® AC/R Leak Sealant with Drying Agent

2-part kit provides a simple solution to sealing minor AC/R system leaks along with an active drying agent.

PRODUCT ID	CASE QTY	Shp. Wt. lbs/Case
QT2540 - QwikSeal® AC/R Leak Sealant with Drying Agent - (2) 0.5 oz. bottles	6	1.2

U.S. Patent #10,012,422

## Indoor Air Quality (IAQ) Products



### QwikTreat® Condensate Pan Tablets

Fast acting tablets control odors, and help remove deposits that can clog drain lines and foul humidifier pans.

PRODUCT ID	CASE QTY	Shp. Wt. lbs/Case
QT2403 - (100) Condensate Pan Tablets	8	20



### QwikTreat® Mold Test Kit

Uses convenient sample strips and incorporates the internet to deliver test results back to the Service Technician as quickly as possible. Includes 5 Adhesive Mold Sampling Strips, Instructions, and Postage-Paid Mailer for Laboratory Testing. There is an additional fee for testing depending on the number of Mold Samples.

PRODUCT ID	CASE QTY	Shp. Wt. lbs/Case
QT4200 - Mold Test Kit	20	1

MKTG000218\_REV-P / 100011301

## QwikPure TripleGuard™ Industrial Grade UV Air Sanitizer

This advanced patent-pending Triple Protection whole house air purification system ensures complete sanitization using:  
• UV-C Light • Photocatalytic Oxidation • Activated Carbon/Potassium Permanganate (AC/PP) Purifier

Twice the power of most air purifiers, means faster air purification for systems up to 7 tons or 3000 CFM. This is an Industrial Grade Air Purification system that can be applied to residential systems.



PRODUCT ID	CASE QTY	Shp. Wt. lbs/Case
QT2730 - QwikPure TripleGuard™	1	9

U.S. Patent Pending

## PuraClean® Filter Spray 16oz Turns an Ordinary Filter into an Electrostatic Filter

PuraClean® Filter Spray dramatically increases removal rate of dust, mold, pollen, allergens and other airborne particles. Turns a regular air filter into an ultra-efficient electrostatic version and improves MERV rating up to 65%.



PRODUCT ID	CASE QTY	Shp. Wt. lbs/Case
QT2700 - Filter Spray	12	13

U.S. Patent #6,924,326

## QwikClean® Foaming Coil Cleaner 18oz Aerosol Can

Cleans both the evaporator and condenser coils of an AC system. Heavy-duty alkaline detergent that does not need to be rinsed off.



PRODUCT ID	CASE QTY	Shp. Wt. lbs/Case
QT2770 - Foaming Coil Cleaner	12	18

## Qwik CO® Universal Carbon Monoxide Alarm Test Kit

For use with all CO detectors; with and without functional test mode capability; battery operated or hard wired. This is a complete multi-use kit that is **Fast, Reliable and Easy to Use...** Takes less than two minutes for most detectors.




PRODUCT ID	CASE QTY	Shp. Wt. lbs/Case
QT2320 - Carbon Monoxide Alarm Test Kit	5	2

## QwikSmoke® Universal Smoke Alarm Test Gas

For use with all smoke detectors. Functionally Tests Any Type of Smoke Detector. **Fast, Reliable, and Easy to Use...** Takes Less Than 30 Seconds for Most Detectors. Non-Flammable, No CFCs, No Silicone, No Phthalate Esters.



PRODUCT ID	CASE QTY	Shp. Wt. lbs/Case
QT2330 - Smoke Alarm Test Gas 	12	6

MKTG000218\_REV-P / 100011301